



GXHX.R18584 Fire-exit Hardware

[Page Bottom](#)

Fire-exit Hardware

[See General Information for Fire-exit Hardware](#)

THASE ENTERPRISE CO LTD

R18584

2-3 SHI KOU TWEN SHAN LI
DANNSHIU DISTRICT
NEW TAIPEI, 251 TAIWAN

Models 510AF, 510F single point rim type latch. May be provided with the Series 6000 mullions.

Model 917F surface mounted vertical rod type latches.

The following devices have been examined in accordance with ANSI/BHMA A156.3-2008 requirements for Grade 1.

Models 8510F, 8610F, 8710F, 8810F single point rim type latch.

Models 8620F, 8820F single point mortise lock device.

Models 8530F and 8730F surface mounted vertical rod device.

Models 8830F and 8630F surface mounted vertical rod devices for use on doors not exceeding 10 ft. in height.

Models 8550F and 8750F concealed vertical rod device.

Models 8850F and 8650F concealed vertical rod devices for use on doors not exceeding 10 ft. in height.

Models 917F, 8530F, 8630F, 8730F, 8830F, 8550F, 8650F, 8750F and 8850F with Auxiliary Fire Latch for LBR Devices.

Models 8810F, 8710F, 8610F and 8510F with Series 6000 mullions.

[Last Updated](#) on 2012-05-30

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".